

Smart Oven - Deck Oven

Electric - Deck Oven

NEDO120.60-S



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Electric Deck Oven with the chamber size of 129 cm by 63 cm. Powered with heating elements with total power rate of 10.8 kW. Includes steam device for superb baking results.

Usable for three bakery trays of 400 x 600 mm.

Operated through touch screen control with Multistep program. Includes on/off-temperature management for better accuracy. Maximum working temperature of 300 degree Celcius.

OTHER AVAILABLE MODELS

- NEDO 60.50-S

MAIN FEATURES

- Heated with maximum temperature of 300 degree Celcius.
- Capacity of three bakery trays of 400 x 600 mm.
- Upper opening oven door with stainless steel cylindrical handle bar.
- Fully integrated glass door design.
- Chamber is equipped with ceramic floor plates for best baking capability.
- Can be configured in single, double or triple deck ovens.
- Controlled through touch screen interface with multistep program.
- Temperature adjustment with on/off control system for greater accuracy.
- Includes halogen lighting in the baking chamber.

CONSTRUCTION

- Exterior panel constructed from stainless steel 304.
- Tempered glass door made of a single layer to insulate heat inside the chamber.
- Round bar stainless steel door handle.


INCLUDED ACCESSORIES

- Power cable.
- Steam device.


OPTIONAL ACCESSORIES

- Stand NDSO 6-T, with capacity of 18 bakery trays of 60 cm by 40 cm.


FRONT



TOP



SIDE



*Overall dimension in mm

TECHNICAL DATA

External Dimensions

Width : 1737 mm
 Depth : 1292 mm
 Height : 631 mm

Cooking Surface

Cooking zones : 1290 x 635 x 219 mm
 Heating zones : 1
 Control type : Temperature control

Electrical Supply Data

Total connected load : 10.8 kW
 Voltage : 400V, 3NPE AC /50-60Hz
 Recommended fuse : 16 A (slow)

Connections

Water : DN 20 (3/4")
 Drain : DN 10 (3/8")

Heat & Steam Emissions

Direct heat emission : 3.85 kW
 Latent heat emission : 1.76 kW
 Steam emission : 2.58 kg/h

PACKAGING DATA

Width : 1815 mm
 Depth : 1373 mm
 Height : 858 mm
 Volume : 2.14 m³

WEIGHT

Net Weight : 218 kg
 Gross Weight : 317 kg