

Total Food Service Solutions

Modular Cooking - Meritus Gas - Kwalie Range NGK 6-75 (ME)



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Modular gas wok range with 750 mm depth, powered with 22 kW cast iron jet burners.

Usable for wok sauteeing, boiling, simmering and shallow frying.

Made of AISI 304 with 1.5 mm top thickness, powered with cast iron jet burner with 16 injectors, the highest power rate achievable in the footprint, designed to deliver Asian cuisine rapidly.

OTHER AVAILABLE MODELS

• N/A

MAIN FEATURES

- Powered with 22 kW jet burner with 16 flame outlet.
- Fully-welded basin for hygiene.
- Durable cast iron wok holder with ventilation designed for improved combustion.
- Equipped with flame failure device.

CONSTRUCTION

- External construction entirely with AISI 304.
- Top panel with 1.5 mm thickness. Orbital surface finishing: resistant toward scratches.
- Front panel is constructed of 0.8 mm AISI 304 with satin surface finish.
- Side panel is constructed of 0.8 mm AISI 304 with satin surface finish.
- Adjustable +/- 25 mm AISI leg.
- Nayati connection system between Meritus products on the front panels, cabinets, and splashbacks.
- Cabinet executed with H2 radius.
- Deep drawn front panel to minimize liquid penetration to the internal part.
- Gasket protection behind the knobs to prevent water to seeping in, prolonging main heating regulation parts.

INCLUDED ACCESSORIES

- G20 Conversion Kit
- Cast iron wok holder.
- Waste drawer.

OPTIONAL ACCESSORIES


- Joint clip ME.
- Swing door 6-75 ME.

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.





TECHNICAL DATA External Dimensions Width : 600 mm Depth : 750 mm Height : 850/122

Height : 850/1220 mm Cooking Surface Cooking zones : 280 mm

Cooking zones : 280 mm Gas Power Rating

Heat input total : LPG/Natural Gas 22 kW No. of burners : 1 Control type : High - low power control Gas type options : LPG G30, G31 Natural Gas G20, G25

Connections

Gas	: DN 20 (3/4")
Water	: N/A
Drain	: N/A

Heat & Steam Emissions

Direct heat emission	:	7.6 kW
Latent heat emission	:	4.5 kW
Steam emission	:	12 kg/h

PACKAGING DATA

Width	: 630 mm
Depth	: 780 mm
Height	: 1240 mm
Volume	: 0.61 m³

WEIGHT Net Weight : 74 kg

Net Weight	. / i kg
Gross Weight	: 95 kg

Total Food Service Solutions

Modular Cooking - Meritus Gas - Kwalie Range NGK 6-75 (ME)

*Overall dimension in mm

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions. 23/03/2021