

Modular Cooking - Grandis

Gas - Range

NGR 8-90 GR



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Modular gas open burner with 900 mm depth and 4 hobs, 2 sets of 5.5 kW and 10 kW cast iron burners. Static 2/1 GN gas oven with 8 kW tubular burner.

Usable for boiling, steaming, frying, braising, simmering and steam frying. Oven module usable for roasting and baking.

Made of AISI 304 with 2 mm top thickness, manual ignited, fully welded basin for hygiene purpose, galvanized coated cast iron burner. Oven is sized for 2/1 GN with reflective AISI cavity for superior heat transfer.

OTHER AVAILABLE MODELS

- NGR 12-90 GR
- NGTR 12-90 GR
- NGTR 8-90 GR
- NGTR 4-90 GR
- NGR 8-90 DFX EOVR GR

MAIN FEATURES

- Powered with a 4 hobs, 2 sets of 5.5 kW and 10 kW cast iron open burner.
- Static 2/1 GN gas oven is powered with 8 kW chrome-plated tubular burner with 2/1 GN cavity and reflective AISI chamber to improve thermal efficiency. Oven is equipped with piezo ignition system with rubber cover.
- Fully-welded basin for hygiene.
- Cast iron pot holder with long fin to support various size of pot or pan.
- Equipped with flame failure device.
- The optimized pan diameter for 5.5 kW burner is between 240-460 mm.
- The optimized pan diameter for 10 kW burner is between 300-500 mm.

CONSTRUCTION

- External construction entirely with AISI 304.
- Top panel with 2 mm thickness. Orbital surface finishing: resistant toward scratches.
- Front panel is constructed of 1 mm AISI 304 with satin surface finish.
- Side panel is constructed of 0.8 mm AISI 304 with satin surface finish.
- Adjustable +/- 25 mm AISI leg.
- Cabinet executed with H2 radius.
- Connector between Grandis product on the front and the back.


INCLUDED ACCESSORIES

- G20 Conversion Kit
- 2/1 GN oven wire tray (1 pcs.).
- Cast iron pot holder.


OPTIONAL ACCESSORIES

- Stainless steel pot holder GR.
- Joint clip GR.


FRONT



TOP



SIDE



*Overall dimension in mm

TECHNICAL DATA

External Dimensions

Width	: 800 mm
Depth	: 900 mm
Height	: 850/910 mm

Cooking Surface

Cooking zones	: Open Burner : 2 x 370 x 725 mm, Oven : 575 x 666 mm
---------------	--

Gas Power Rating

Heat input total	: LPG/Natural Gas 39 kW
No. of burners	: 5
Control type	: Open burner: High - low power control, Oven: Modulating temperature control

Gas type options	: LPG G30, G31 Natural Gas G20, G25
------------------	--

Connections

Gas	: DN 20 (3/4")
Water	: N/A
Drain	: N/A

Heat & Steam Emissions

Direct heat emission	: 10.55 kW
Latent heat emission	: 4.7 kW
Steam emission	: 6.91 kg/h

PACKAGING DATA

Width	: 830 mm
Depth	: 930 mm
Height	: 1030 mm
Volume	: 0.80 m ³

WEIGHT

Net Weight	: 127 kg
Gross Weight	: 145 kg

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.

07/02/2023