

Total Food Service Solutions

Oriental Cooking - Gas Steamer Gas - Rice Roll Steamer NGRS 9-90 LN



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Gas rice roll steamer with one steaming engine for two trays steaming capacity. Equipped with high-performance burners of a total of 33 kW power rate for quick steam.

Three steaming operations to achieve the ideal balance between performance and energy-saving when needed. The deck cooling & cleaning system guarantees easy cleaning and a maximum of hygiene.

Powerful and suitable for mass production of rice rolls, the NGRS steamer is the perfect choice for all Asian restaurants.

OTHER AVAILABLE MODELS

NGRS 9-90 CE

MAIN FEATURES

- High-performance atmospheric burners with a total power rate of 33 kW.
- · Electric ignition.
- Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers.
- Slanted, deep drawn, reinforced top panel with drain channel and removable strainer in the front for easy operation.
- Deck cooling & cleaning system with spray nozzles for a maximum hygiene and easy operation.
- Steam box engine with automatic filling system and security thermostat.

CONSTRUCTION

- Sturdy frame made of stainless steel AISI 430.
- Slanted, reinforced deep drawn stainless steel top panel (3.2 mm), AISI 304 with hairline surface pattern.
- Front and side panels made of stainless steel AISI 304 with hairline surface pattern (0.8 mm).
- Backsplash made of stainless steel AISI 304 with hairline surface pattern (1.2 mm).
- Tubular, height adjustable (±25 mm) stainless steel legs.
- Types of installations: free standing or placed on a plinth.
- Frame, top and panels, all made of high-grade stainless steel.

INCLUDED ACCESSORIES

• Rice roll kit with perforated stainless steel plates (2pcs) and two lids.

OPTIONAL ACCESSORIES

N/A

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.

TECHNICAL DATA

FRONT

External Dimensions

Width : 900 mm Depth : 900 mm Height : 750/1200 mm

Cooking Surface

Cooking zones : 836 x 556 mm

Gas Power Rating

Heat input total : LPG/LNG 33 kW, and 0.004 kW -

230V, 1NPE AC / 50-60 Hz

No. of burners

Control type : High-low power control

Gas type options : LPG G30

LNG G20

Connections

Gas : DN25 (1") Water : DN15 (1/2")

Drain : DN32 (1 1/4") & DN40 (1 1/2")

Heat & Steam Emissions


: LPG/LNG 4.95 kW Direct heat emission Latent heat emission : LPG/LNG 5.94 kW Steam emission : LPG/LNG 8.75 kg/h


PACKAGING DATA


Width : 930 mm Depth : 930 mm Height : 1320 mm Volume : 1.14 m³

WEIGHT

Net Weight : 152 kg **Gross Weight** : 216 kg







*Overall dimension in mm

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions. 02/10/2020