

## Smart Oven - Rotary Oven

### Gas - Rotary Oven

#### NGRO 30



Due to continuous technical development, the image shown may not represent the latest design of the unit.

#### DESCRIPTION

Gas Rotary Oven with capacity of 36 bakery trays of 40 cm by 60 cm. Powered with gas burner with power rate of 82 kW.

Baking capacity up to 36 bakery trays of 400 x 600 mm.

#### OTHER AVAILABLE MODELS

- NGRO 16

#### MAIN FEATURES

- Heated with maximum temperature of 300 degree Celcius.
- Baking capacity of 36 bakery trays of 400 x 600 mm.
- 2-Speed fan settings.
- Steam injection capability.
- Smart rotation system that ensures tray facing to the door, easily retrievable when the baking cycle is done/stopped.
- Baking capacity tested for 576 pieces of 30-gram croissants per cycle.
- Baking capacity tested for 432 pieces of 35 gram-danish raisin per cycle.

#### CONSTRUCTION

- Exterior panel constructed from stainless steel 304.
- Solid stainless steel 304 shaft handle.
- Modular cover panel for service access.
- Double-tempered glass to prevent escaping heat.

#### INCLUDED ACCESSORIES

- Bakery Pan Trolley for 36 trays.




#### OPTIONAL ACCESSORIES

- N/A

PT. NAYATI INDONESIA

[www.nayati.com](http://www.nayati.com)

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.

**FRONT****TOP****SIDE**

\*Overall dimension in mm

**TECHNICAL DATA****External Dimensions**

Width	: 1476 mm
Depth	: 2506 mm
Height	: 2500 mm

**Cooking Surface**

Cooking zones	: 18 or 36 bakery trays of 400 x 600 mm.
---------------	--

**Gas Power Rating**

Heat input total	: LPG 82 kW
No. of burners	: 1
Control type	: Temperature and Timer control
Gas type options	: LPG G30 LNG N/A

**Electrical Supply Data**

Total connected load	: xxx
Voltage	: 230V, 1NPE AC / 50-60 Hz
Recommended fuse	: 16 A (slow)

**Connections**

Gas	: DN 20 (3/4")
Water	: DN 20 (3/4")
Drain	: N/A

**Heat & Steam Emissions**

Direct heat emission	: 28.7 kW
Latent heat emission	: 16.4 kW
Steam emission	: 24.04 kg/h

**PACKAGING DATA**

Width	: To be delivered in multiple pieces.
mm	
Depth	: To be delivered in multiple pieces.
mm	
Height	: To be delivered in multiple pieces.
mm	
Volume	: N/A m <sup>3</sup>

**WEIGHT**

Net Weight	: 804 kg
Gross Weight	: 1263 kg

**PT. NAYATI INDONESIA**[www.nayati.com](http://www.nayati.com)

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.

23/01/2021