

Oriental Cooking - Wok Range

Gas - Wok Kwalie / CE

NGK S 40-90 W1S1



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Gas wok with one high-performance wok jet-burner, with 33 kW and one stock pot burner with a power rate of 11.5/13 kW (LPG/LNG). Compact, powerful and suitable for various methods of Oriental cooking, the NGK wok is the perfect choice for any kitchen.

Made of stainless steel AISI 304 with a slanted, 3.2 mm strong, reinforced top panel with heavy-duty removable cast iron wok rings. The stock pot burner is supplied with a cast iron potholder and a stainless steel wok ring. Cold-water supply with two swivel faucets, mounted on the backsplash, easily operable from the front panel.

The intelligent deck cooling & cleaning system with spray nozzles guarantee an efficient cooling of the top panel and an enhanced hygienic as food debris are flushed away towards the drain channel in the back. The built-in strainer avoids congestions of the drain.

OTHER AVAILABLE MODELS

- NGK S 40-75 W1
- NGK S 80-75 W2
- NGK S 120-75 W3
- NGK S 40-90 W1
- NGK S 80-90 W2S1
- NGK S 80-90 W2S2

MAIN FEATURES

- One atmospheric wok jet-burner with a power rate of 33 kW.
- One atmospheric burner with a power rate of 11.5/13 kW (LPG/LNG).
- Manual ignition.
- Equipped with pilot burners, safety thermocouples, gas valves, gas knee levers and gas control knob.
- Slanted, reinforced (3.2 mm) top panel with drain channel and removable strainer in the back for easy operation.
- Cold-water supply with one swivel faucet mounted on the backsplash.
- Deck cooling & cleaning system with spray nozzles for maximum hygiene.
- Suitable for wok-pan sizes Ø 14-18" (355-457 mm).
- CE certified unit.

CONSTRUCTION

- Sturdy frame made of stainless steel AISI 430.
- Slanted, reinforced stainless steel top panel (3.2 mm), AISI 304 with hairline surface pattern.
- Front and side panels made of stainless steel AISI 304 with hairline surface pattern (0.8 mm).
- Backsplash made of stainless steel AISI 304 with hairline surface pattern (1.2 mm).
- Tubular, height adjustable (± 25 mm) stainless steel legs.
- Type of installation: free standing.
- Frame, top and panels, all made of high-grade stainless steel.


INCLUDED ACCESSORIES

- Wok stand (1 pc)


OPTIONAL ACCESSORIES

- Burner nozzle kit - converts the wok burner power rate from 33 kW to 24 kW.
- Condiment tray made of stainless steel AISI 304 (300x300 mm).


FRONT



TOP



SIDE



*Overall dimension in mm

TECHNICAL DATA

External Dimensions

Width	: 900 mm
Depth	: 900 mm
Height	: 750/1050 mm

Cooking Surface

Wok burners	: Ø 280 mm
Soup burners	: Ø 280 mm

Gas Power Rating

Heat input total	: LPG 44.5 kW, LNG 46 kW
No. of burners	: 2
Control type	: Wok = Open-close valve, soup = high-low power control
Gas type options	: LPG G30, G31 LNG G20, G25

Connections

Gas	: DN 20 (3/4")
Water	: DN15 (1/2")
Drain	: DN25 (1")

Heat & Steam Emissions

Direct heat emission	: LPG 11.13 kW, LNG 11.50 kW
Latent heat emission	: LPG 6.68 kW, LNG 6.90 kW
Steam emission	: LPG 11.79 kg/h, LNG 12.19 kg/h

PACKAGING DATA

Width	: 930 mm
Depth	: 930 mm
Height	: 1170 mm
Volume	: 1.01 m ³

WEIGHT

Net Weight	: 190 kg
Gross Weight	: 243 kg

PT. NAYATI INDONESIA

www.nayati.com

Nayati reserves the right to make product alterations and or price adjustments at any time and can not be held responsible for any printing errors or omissions.

23/04/2020